




Equipment

The EverClear™ Parts Washer System is an innovative and cost effective solution to your parts washing needs. Its self-cleaning technology reduces monthly preventive maintenance costs and downtime required to service the system. Cleaning fluid only requires "topping off" as natural evaporation occurs reducing costs and inventory concerns.

Features

- Spring-loaded, safety lid with fusible link
- Flow-through parts washing brush
- Solid, 14-gauge steel construction
- Durable, high corrosion-resistant enamel paint
- CSA approved.

The unique two-way filtration provides clean solvent every day, without replacing cleaning fluid. Easy-to dispose filters can be safely discarded with your oily rags.



EverClear™ Chemicals




Current Issue®

- Organic, biodegradable, RTU citrus solvent degreaser
- High dielectric strength of over 29,500 volts
- Leaves no residue, evaporates completely
- Safe handling, non-corrosive, non-caustic






EverSolv[™] 143



- High dielectric strength of over 36,000 volts
- Non-corrosive, non-caustic
- Leaves no residue, evaporates completely



New Era™



- High flashpoint for increased safety greater than 300°F
- Safe handling, non-corrosive, non-acid formulation
- No-rinse formula will not emulsify





EverClear™ Filters



EverClear™ Bag Filter

- Removes oil and grease contaminants from the solvent
- Can be used nightly to thoroughly cleanse the solvent for longer usage


EverClear™ Wound Filter

- Provides ultra clean solvent filtration to 25 microns
- Final barrier to both solid and oil contamination









PACKAGING

121775 Mark XX 30 GL Parts Washer



State Industrial Products

5915 Landerbrook Drive Mayfield Heights, OH 44124 To Order Call: 1-866-747-2229 www.stateindustrial.com

Canada

6935 Davand Drive Mississauga, Ontario L5T 1L5 To Order Call: 1-800-668-6513

Puerto Rico

Royal Industrial Park, Bldg "M" Local #5, Carr 869, km 1.5 Palmas Cataño, P.R. 00962 To Order Call: 787-275-3185





