



**DRAIN CARE
SOLUTIONS**

STA-ZYME®



**BIOLOGICAL TREATMENT
FOR DRAINS, GREASE TRAPS, SEPTIC
SYSTEMS & WASTEWATER APPLICATIONS**

State®
Since 1911

stateindustrial.com

Care For Work Environments®

PRODUCT SELECTION

STA-ZYME® DRAIN MAINTAINER PACKETS



OVERVIEW

Sta-Zyme® Drain Maintainer Packets provide a convenient biological treatment for routine drain and wastewater maintenance. Each pre-measured, water-soluble packet contains a concentrated blend of selectively adapted bacteria and enzymes designed to help break down fats, oils, grease, food waste, tissue, and other organic materials commonly found in drain lines and wastewater systems. The easy-to-use packets simplify treatment programs while supporting cleaner, free-flowing systems.

- Convenient pre-measured water-soluble packets
- Helps reduce fats, oils, grease, and organic buildup
- Simplifies routine drain maintenance with consistent dosing
- Ideal for floor drains and sinks

DIRECTIONS FOR USE

All dosing should be done during the slowest flow cycle of your system to allow for maximum working time.

For floor drains and sinks: Initial treatment of 2 doses per day for 3-5 days. Ongoing treatment of 2 doses per week.

TECHNICAL DATA

APPEARANCE: red/purple powder in water-soluble packet

BIOLOGICALS: multiple Bacillus and vegetative strains, DSL listed

FREE ENZYMES: lipase, cellulase, amylase, protease

EFFECTIVE pH RANGE: 5.0 - 9.0

EFFECTIVE TEMPERATURE RANGE: 40 - 120°F (5 - 49°C)

PACKAGING

129758

200 x 1 oz Doses



PRODUCT SELECTION

STA-ZYME® PLUS



OVERVIEW

Sta-Zyme® Plus is a highly concentrated biological wastewater treatment formulated to accelerate the digestion of organic waste and help maintain efficient wastewater systems. Its powerful blend of non-pathogenic bacteria and enzymes works continuously to break down proteins, starches, cellulose, fats, oils, and grease, helping reduce buildup and control odors. Designed to perform in both aerobic and anaerobic environments, Sta-Zyme® Plus provides an effective preventative maintenance solution for drains, grease traps, septic systems, lift stations, and wastewater treatment applications.

- Breaks down and digests proteins, starches, cellulose, fats, oils, and grease
- Performs in both aerobic and anaerobic environments
- Helps reduce organic buildup and nuisance odors
- Contains concentrated non-pathogenic bacteria and enzyme technology

DIRECTIONS FOR USE

One pound of Sta-Zyme® Plus should be applied daily for each 5,000 gallon capacity for the first 30 days through the sludge pump. This is most easily accomplished by mixing the Sta-Zyme® Plus with water. When scum and “matting” have returned to normal and odors have been controlled, the first month’s treatment can be reduced by one quarter and Sta-Zyme® Plus applied at the input point. From 6-12 pounds Sta-Zyme® Plus will correct faulty operation in stabilization lagoons basing amount on each million gallon capacity.

Sinks, tubs, grease traps, septic tanks and drains: add 1 ounce of Sta-Zyme® Plus to a cup of warm water, pour into the drain, and let stand for at least 6 hours before flushing. Use daily for preventative maintenance. NOTE: Strong caustics, lye or acids destroy the action of microorganisms.

TECHNICAL DATA

APPEARANCE: tan, free-flowing powder

BIOLOGICALS: multiple Bacillus species, DSL listed

FREE ENZYMES: protease

EFFECTIVE pH RANGE: 5.0 - 10.0

EFFECTIVE TEMPERATURE RANGE: 40 - 130°F (5 - 55°C)

PACKAGING

127707

25 LB/1EA

CONTACT US



stateindustrial.com



support@stateindustrial.com



1.866.747.2229



5915 Landerbrook Drive, Mayfield Heights, OH 44124

62N06

LIT803196

© Copyright 2026 - State Industrial Products Corp.

